

Zano® Plus Safety Data Sheet

Ultra Chemical, Inc. 2 Bridge Avenue Ste 631 Red Bank, NJ 07701- USA info@ultrachem.com | technical@ultrachem.com

www.ultrachem.com

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication

Standard 29 CFR 1910.1200

Date of issue: 05/16/2017 Revision date: 02/21/2018 Supersedes: 05/16/2017 Version: 2.0

SECTION 1: Identification

1.1. Identification

Product form : Mixtures

Trade name : Zano® Plus

Product code : 300000003612

Synonyms : Zano® 10 Plus;Zano® 20 Plus;Zano® M Plus

1.2. Recommended use and restrictions on use

Recommended use : Additives, Cosmetics, plastics

Restrictions on use : None known

1.3. Supplier

EverZinc Belgium - ZnO Boulevard Emile de Laveleye, 191 Liège, 4020 - Belgium T +32 42 90 22 07 Info.MSDS@everzinc.com

1.4. Emergency telephone number

Emergency number : Africa and Middle East: +44 1865 407333/ Asia Pacific: Australia: +61 2 8014 4558, China: +86

512 8090 3042, Malaysia: +60 3 6207 4347, Philippines: +63 2 231 2149, South Korea: +82 2 3479 8401, Rest of Asia Pacific: +44 1865 407333/ Europe: +44 1235 239670/ North America: Mexico: +52 55 5004 8763, Rest of North America: +1 215 207 0061/ South America: Chile.

+56 2 2582 9336, Rest of South America: +44 1865 407333

24 Hours 7 days/week

Country	Organization/Company	Address	Emergency number	Comment
USA	Indiana Poison Center , Methodist Hospital	1701 N Senate Blvd Room B402 46202 Indianapolis	1 800 222 1222	

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Hazardous to the aquatic environment - Acute Hazard

Very toxic to aquatic life

Category 1

Hazardous to the aquatic environment - Chronic Hazard

Very toxic to aquatic life with long lasting effects

Category 1

2.2. GHS Label elements, including precautionary statements

This material is classified as not hazardous under OSHA regulations.

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
triethoxyoctylsilane	(CAS-No.) 2943-75-1	<= 9	Skin Irrit. 2, H315

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Descri	ption of first a	id measures
-------------	------------------	-------------

First-aid measures general : Call a poison center/doctor/physician if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention. Wash with plenty of soap and water.

02/28/2018 US-OSHA - en Page 1

Safety Data Sheet

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

First-aid measures after eye contact

: Rinse eyes with water as a precaution.

First-aid measures after ingestion

: If the person is fully conscious, make him/her drink water. Never give an unconscious person

anything to drink.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation.

Immediate medical attention and special treatment, if necessary 4.3.

Treat symptomatically.

SECTION 5: Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

: Do not attempt to take action without suitable protective equipment. Self-contained breathing Protection during firefighting

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. **Environmental precautions**

Avoid release to the environment. Do not allow to enter drains or water courses.

Methods and material for containment and cleaning up

For containment : Collect spillage.

: Mechanically recover the product. Methods for cleaning up

: Dispose of materials or solid residues at an authorized site. Other information

Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling Ensure good ventilation of the work station. Do not get in eyes, on skin, or on clothing. Wear

personal protective equipment.

Hygiene measures Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

Conditions for safe storage, including any incompatibilities

Store in a dry place. Store in a closed container. Store in a well-ventilated place. Keep cool. Storage conditions

Protect from heat and direct sunlight.

Incompatible materials : Keep away from oxidizers, strong acids and strong bases. : Keep away from oxidizers, strong acids and strong bases. Information on mixed storage

SECTION 8: Exposure controls/personal protection

Control parameters

triethoxyoctylsilane (2943-75-1)

Not applicable

02/28/2018 US-OSHA - en 2/8

Safety Data Sheet

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

protective gloves. butyl rubber gloves

Eye protection:

Safety glasses

Skin and body protection:

Personal protective equipment Category II. heavy duty work shoes EN ISO 20345-S1

Respiratory protection:

Wear appropriate breathing apparatus if air renewal not sufficient to maintain dust/vapor under TLV. Effective dust mask: Personal protective equipment Category III, (FFP3) EN 149 2001 + A1: 2009

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid : Powder. Appearance Color : white Odor odorless Odor threshold : Not applicable рН : Not applicable Melting point : > 1800 °C Boiling point : Not relevant No data available Flash point Relative evaporation rate (butyl acetate=1) : Not applicable Flammability (solid, gas) : Not applicable. Vapor pressure : No data available Vapor pressure at 50 °C : Not applicable Relative vapor density at 20 °C : Not applicable Relative density : No data available Specific gravity / density : 5.61 a/cm³ Solubility : Water: Insoluble Log Pow : Not applicable Auto-ignition temperature : No data available Decomposition temperature : Not applicable Viscosity, kinematic : No data available

Explosion limits : LEL: Not applicable UEL: Not applicable Explosive properties : Not applicable.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

02/28/2018 US-OSHA - en 3/8

Safety Data Sheet

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

10.3. Possibility of hazardous reactions

May react violently with alkali/alkaline earth metals. magnesium.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Keep away from oxidizers, strong acids and strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Likely routes of exposure : Inhalation; Skin and eye contact

Acute toxicity : Not classified

triethoxyoctylsilane (2943-75-1)		
LD50 oral rat ≥5110,Rat; OECD 401: Acute Oral Toxicity; Experimental value		
LD50 dermal rabbit	6730 mg/kg body weight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; >8000 mg/kg bodyweight; Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity)	
LC50 inhalation rat (ppm) > 22 ppm/4h (Rat; Experimental value)		

Skin corrosion/irritation : Not classified

pH: Not applicable

Serious eye damage/irritation : Not classified

pH: Not applicable

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity – single exposure : Not classified

Specific target organ toxicity - repeated

exposure

: Not classified

Aspiration hazard : Not classified Symptoms/effects after skin contact : Irritation.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

triethoxyoctylsilane (2943-75-1)	
Persistence and degradability	Not readily biodegradable in water. Hydrolysis in water. Biodegradability in soil: no data available. Low potential for mobility in soil.

12.3. Bioaccumulative potential

Zano® Plus		
Log Pow	Not applicable	
triethoxyoctylsilane (2943-75-1)		
BCF fish 1	1450 - 1980 (BCF; OECD 305: Bioconcentration: Flow-Through Fish Test; 56 days; Cyprinus carpio; Flow-through system; Fresh water; Experimental value; Fresh weight)	
Log Pow 6,41 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPI 30 - 40 °C)		
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).	

12.4. Mobility in soil

02/28/2018 US-OSHA - en 4/8

Safety Data Sheet

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

triethoxyoctylsilane (2943-75-1)	
Log Koc	log Koc,4; QSAR

12.5. Other adverse effects

Effect on the global warming : No known effects from this product.

GWPmix comment : No known effects from this product.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

Transportation of Dangerous Goods

Transport document description : UN3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., 9, III

UN-No. (TDG) : UN3077

Proper Shipping Name (Transportation of

Dangerous Goods)

: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

TDG Primary Hazard Classes : 9 - Class 9 - Miscellaneous Products, Substances or Organisms

Packing group : III - Minor Danger

TDG Special Provisions

: 16 - (1) The technical name of at least one of the most dangerous substances that

predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name: (a)UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S; (b)UN1851, MEDICINE, LIQUID, TOXIC, N.O.S; (c)UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S; (d)UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or (e)UN3249, MEDICINE, SOLID, TOXIC, N.O.S. An example in Canada is the "Food and Drugs Act". (3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment: (a)UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b)UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS, SOR/2014-306.99 - (1)Mixtures of solids that are not dangerous goods and liquids or solids that are UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S, or UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S, may be handled, offered for transport or transported as UN3077 if there is no visible liquid when the dangerous goods are loaded into a means containment and during transport. (2) These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to the handling, offering for transport or transporting of less than 450 kg of UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S, or less than 450 L of UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S, on a road vehicle or a railway vehicle. The dangerous goods must be contained in one or more small means of containment designed, constructed, filled, closed, secured and maintained so that under normal conditions of transport, including handling, there will be no accidental release of the dangerous goods that could endanger public safety. SOR/2014-306

Explosive Limit and Limited Quantity Index : 5 kg

Transport by sea

Transport document description (IMDG) : UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc oxide), 9,

III, MARINE POLLUTANT

UN-No. (IMDG) : 307

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Class (IMDG) : 9 - Miscellaneous dangerous substances and articles

Packing group (IMDG) : III - substances presenting low danger

02/28/2018 US-OSHA - en 5/8

Safety Data Sheet

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

Limited quantities (IMDG) : 5 kg
MFAG-No 171
Marine pollutant : Yes



Air transport

Transport document description (IATA) : UN 3077 Environmentally hazardous substance, solid, n.o.s. (zinc oxide), 9, III

UN-No. (IATA) : 3077

Proper Shipping Name (IATA) : Environmentally hazardous substance, solid, n.o.s.

Class (IATA) : 9 - Miscellaneous Dangerous Goods

Packing group (IATA) : III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

Zano® Plus

Listed on the United States TSCA (Toxic Substances Control Act) inventory

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Zano® Plus

Listed on the Canadian DSL (Domestic Substances List)

triethoxyoctylsilane (2943-75-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Regulatory reference : Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on KECI (Korean Existing Chemicals Inventory)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Japanese ISHL (Industrial Safety and Health Law)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Revision date : 02/21/2018

02/28/2018 US-OSHA - en 6/8

Safety Data Sheet

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

E	4014	٠,	LI nh	rases.
-11111	TEXT	OΤ	H-nr	irases:

•••	ox or it princes.		
	H315	Causes skin irritation	
	H400	Very toxic to aquatic life	
	H410	Very toxic to aquatic life with long lasting effects	

Abbreviations and acronyms:

reviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
DPD	Dangerous Preparations Directive 1999/45/EC
DSD	Dangerous Substances Directive 67/548/EEC
IARC	International Agency for Research on Cancer
EC50	Median effective concentration
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative
15	1.5., Foreign and very biodecontratative

02/28/2018 US-OSHA - en 7/8

Safety Data Sheet

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

Indication of changes:

Section	Changed item	Change	Comments
	Supersedes	Added	
	Revision date	Added	

SDS US HazCom EverZinc

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

02/28/2018 US-OSHA - en 8/8